

~D<sup>1/2</sup>Ñ, D<sub>μÑ</sub>€D<sup>1/2</sup>D<sub>μÑ</sub>, -D<sup>1/4</sup>D°D<sup>3</sup>D°D·D, D<sup>1/2</sup> D<sup>1/2</sup>D<sup>3/4</sup>ÑfÑ, D±

D~D<sup>1/2</sup>Ñ, D<sub>μÑ</sub>€D<sup>1/2</sup>D<sub>μÑ</sub>, -D<sup>1/4</sup>D°D<sup>3</sup>D°D·D, D<sup>1/2</sup> D<sup>1/2</sup>D<sup>3/4</sup>ÑfÑ, D±ÑfD°D<sup>3/4</sup>D<sup>2</sup> D, D°D°Ñ·D<sub>μÑ</sub>·Ñ·ÑfD°Ñ€D<sup>3/4</sup>D<sup>2</sup>

ĐžÑˆĐ, Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

# Fujitsu ESPRIMO Mobile V6545

\$10 480.03

Đ¢Đ, Đ¿

Đ¢Đ, Đ¿

D<sup>1/2</sup>D<sup>3/4</sup>ÑfÑ, D±ÑfD°

Đ£Ñ·Ñ, D°D<sup>1/2</sup>D<sup>3/4</sup>D<sup>2</sup>Đ»D<sub>μ</sub>D<sup>1/2</sup>D<sup>1/2</sup>D°Ñ·

DOS

Đ<sup>3/4</sup>Đ¿D<sub>μÑ</sub>€D°Ñ†Đ, Đ<sup>3/4</sup>D<sup>1/2</sup>D<sup>1/2</sup>D°Ñ· Ñ·D, Ñ·Ñ, D<sub>μ</sub>D<sup>1/4</sup>D°

ĐŸÑ€D<sup>3/4</sup>Ñ†D<sub>μÑ</sub>·Ñ·D<sup>3/4</sup>Ñ€

Đ¢Đ, Đ¿ Đ¿Ñ€D<sup>3/4</sup>Ñ†D<sub>μÑ</sub>·Ñ·D<sup>3/4</sup>Ñ€D°

Core 2 Duo / Pentium

ĐšD<sup>3/4</sup>D´ Đ¿Ñ€D<sup>3/4</sup>Ñ†D<sub>μÑ</sub>·Ñ·D<sup>3/4</sup>Ñ€D°

T6400 / T4200

ĐšD°Ñ·Ñ, D<sup>3/4</sup>Ñ, D° Đ¿Ñ€D<sup>3/4</sup>Ñ†D<sub>μÑ</sub>·Ñ·D<sup>3/4</sup>Ñ€D°

2000Å ĐœĐ“Ñ†

ĐšD<sup>3/4</sup>D»D, Ñ†D<sub>μÑ</sub>·Ñ, D<sup>2</sup>D<sup>3/4</sup> Ñ·D´D<sub>μÑ</sub>€

2

Đ¿Ñ€D<sup>3/4</sup>Ñ†D<sub>μÑ</sub>·Ñ·D<sup>3/4</sup>Ñ€D°

ĐžĐ±ÑšD<sub>μ</sub>D<sup>1/4</sup> D°Ñ·ÑˆD° L2

1 ĐœĐ± / 2 ĐœĐ±

ĐšD°Ñ·Ñ, D<sup>3/4</sup>Ñ, D° Ñ·D, Ñ·Ñ, D<sub>μ</sub>D<sup>1/4</sup>D<sup>1/2</sup>D<sup>3/4</sup>D<sup>1</sup> ÑˆD, D<sup>1/2</sup>Ñ(

800 ĐœĐ“Ñ†

ĐšĐ, Đ¿Ñ·D<sub>μÑ</sub>,

Intel PM45

ĐŸD°D<sup>1/4</sup>Ñ·Ñ, Ñ€



ԾՅԾ¼Ծ՝Ծ°Ծ»ՆՉՆ‡ԾմԾ½Ծ, Ծմ

Ծ՝Ն•Ն, Ն€Ծ¼ԾմԾ½Ծ՝Ծ½Ծ°Ն• Ն•ԾմՆ, ԾմԾ²Ծ°Ն• Ծ°Ծ°Ն€Ն, Ծ°	ԾմՆ•Ն, ՆՇ
ԾœԾ°Ծ°Ն•. Ն•Ծ°Ծ¼Ն€Ծ¼Ն•Ն, ՆՇԾ Ծ°Ծ՝Ծ°Ծ շՆ, ԾմՆ€Ծ° LAN	1000Â ԾœԾ±Ծ, Ն, Ն•
Ծ՝Ն•Ն, Ն€Ծ¼ԾմԾ½Ծ՝Ծ½Ն<Ծ¹ Ն,, Ծ°Ծ°Ն•-Ծ¼Ծ³Ծ՝ԾմԾ¼ ԾšԾ¼Ծ»Ծ, Ն‡ԾմՆ•Ն, Ծ²Ծ¼	Ծ½ԾմՆ, 3
Ծ, Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն•Ծ³Ծ՝Ծ² USB 2.0	ԾմՆ•Ն, ՆՇ
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• FireWire	Ծ½ԾմՆ,
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• FireWire 800	ԾմՆ•Ն, ՆՇ
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• eSATA	Ծ½ԾմՆ,
Ծ~Ծ½Ն,, Ն€Ծ°Ծ°Ն€Ծ°Ն•Ծ½Ն<Ծ¹ Ծ շՆ, (IRDA)	Ծ½ԾմՆ,
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• LPT	Ծ½ԾմՆ,
COM-Ծ շՆ, Ն€Ն,	Ծ½ԾմՆ,
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• PS/2	ԾմՆ•Ն, ՆՇ
Ծ՝Ն<Ն...Ծ³Ծ՝ VGA (D-Sub)	Ծ½ԾմՆ,
Ծ՝Ն<Ն...Ծ³Ծ՝ DVI	Ծ½ԾմՆ,
Ծ՝Ն<Ն...Ծ³Ծ՝ HDMI	Ծ½ԾմՆ,
Ծ՝Ն<Ն...Ծ³Ծ՝ DisplayPort	Ծ½ԾմՆ,
Ծ՝Ն<Ն...Ծ³Ծ՝ Mini DisplayPort	Ծ½ԾմՆ,
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• Thunderbolt	Ծ½ԾմՆ,
Ծ՝Ն...Ծ³Ծ՝ TV-in	ԾմՆ•Ն, ՆՇ
Ծ՝Ն<Ն...Ծ³Ծ՝ TV-out	Ծ½ԾմՆ,
ԾՅԾ¼Ծ՝Ծ°Ծ»ՆՉՆ‡ԾմԾ½Ծ, Ծմ Ծ°	Ծ½ԾմՆ,
Ծ՝Ծ³Ծ°-Ն•Ն, Ծ°Ծ½Ն‡Ծ, Ծ	Ծ½ԾմՆ,
Ծ՝Ն...Ծ³Ծ՝ Ծ°ՆfԾ՝Ծ, Ծ³Ծ	Ծ½ԾմՆ,
Ծ՝Ն...Ծ³Ծ՝ Ծ¼Ծ, Ծ°Ն€Ծ¼Ն,, Ծ³Ծ՝Ծ½Ծ½Ն<Ծ¹	Ծ½ԾմՆ,
Ծ՝Ն<Ն...Ծ³Ծ՝ Ծ°ՆfԾ՝Ծ, Ծ³Ծ/Ծ½Ծ°ՆfՆ՝Ծ½Ծ, Ծ°Ծ	Ծ½ԾմՆ,
Ծ՝Ն<Ն...Ծ³Ծ՝ Ծ°ՆfԾ՝Ծ, Ծ³Ծ Ն‡Ծ, Ն, Ն€Ծ¼Ծ²Ծ³ԾԾ¹ (S/PDIF)	Ծ½ԾմՆ,
ԾԷՆ•Ն, Ն€Ծ¼Ծ՝Ն•Ն, Ծ²Ծ° Ն...Ն€Ծ°Ծ½ԾմԾ½Ծ, Ն• Ծ՝Ծ°Ծ½Ծ½Ն<Ն... Ծ Ծ°Ծ-Ծ¼ԾմՆ%ԾմԾ½Ծ, Ծմ	Ծ²Ծ½ՆfՆ, Ն€ԾմԾ½Ծ½Ծ, Ծ¹
Ծ³Ծ շՆ, Ծ, Ն‡ԾմՆ•Ծ°Ծ¼Ծ³Ծ¼ Ծ շՆ€Ծ, Ծ²Ծ¼Ծ՝Ծ՝	DVD-RW
ԾžԾ շՆ, Ծ, Ն‡ԾմՆ•Ծ°Ծ, Ծ¹ Ծ շՆ€Ծ, Ծ²Ծ¼Ծ՝	320Â Ծ“Ծ±
Ծ Ծ°Ծ-Ծ¼ԾմՆ€ ԾղԾմՆ•Ն, Ծ°Ծ¼Ծ³Ծ¼ Ծ՝Ծ, Ն•Ծ°Ծ°	Ծ½ԾմՆ,
Ծ”Ծ²Ծ° ԾղԾմՆ•Ն, Ծ°Ծ, Ն... Ծ՝Ծ, Ն•Ծ°Ծ°	Ծ½ԾմՆ,
ԾœԾ²ԾմՆ€Ծ՝Ծ¼Ն, ԾմԾ»ՆՇԾ½Ն<Ծ¹ Ծ՝Ծ, Ն•Ծ° (SSD)	Serial ATA
Ծ~Ծ½Ն, ԾմՆ€Ն,, ԾմԾ¹Ն• ԾղԾմՆ•Ն, Ծ°Ծ¼Ծ³Ծ¼ Ծ՝Ծ, Ն•Ծ°Ծ°	5400 Ծ³ԾԾ±/Ծ¼Ծ, Ծ½
ԾիԾ°Ծ¼Ն€Ծ¼Ն•Ն, ՆՇ Ծ²Ն€Ծ°Ն%ԾմԾ½Ծ, Ն• ԾղԾմՆ•Ն, Ծ°Ծ¼Ծ³Ծ¼ Ծ՝Ծ, Ն•Ծ°Ծ°	ԾՅԾ, Ն, Ծ°Ծ½Ծ, Ծմ
Ծ՝Ն€ԾմԾ¼Ն• Ն€Ծ°Ծ±Ծ³ԾՆ, Ն<	2.3Â Ն‡
Ծ•Ծ¼Ծ°Ծ¼Ն•Ն, ՆՇ Ծ՝Ծ°Ծ°ՆfԾ¼ՆfԾ»Ն•Ն, Ծ³ԾՆ€Ծ°	4400Â Ծ¼Ծ•Ն‡
ԾœԾ, Ծ շՆ Ծ°Ծ°ՆfԾ¼ՆfԾ»Ն•Ն, Ծ³ԾՆ€Ծ°	Li-Ion
ԾԷՆ•Ն, Ն€Ծ¼Ծ՝Ն•Ն, Ծ²Ծ° Ծ²Ծ²Ծ³Ծ՝Ծ՝	85
ԾšԾ¼Ծ»Ծ, Ն‡ԾմՆ•Ն, Ծ²Ծ¼ Ծ°Ծ»Ծ°Ծ՝ Ն< Ծ°Ծ»Ծ°Ծ²Ծ, Ծ°Ն, ՆfՆ€Ն<	

