

Đ~Đ^{1/2}Ñ ĐµÑ€Đ^{1/2}ĐµÑ -Đ^{1/4}Đ°Đ³Đ°Đ·Đ, Đ^{1/2} Đ^{1/2}Đ^{3/4}ÑfÑ,Đ±

Đ~Đ^{1/2}Ñ,ĐµÑ€Đ^{1/2}ĐµÑ,-Đ^{1/4}Đ°Đ³Đ°Đ·Đ, Đ^{1/2} Đ^{1/2}Đ^{3/4}ÑfÑ,Đ±ÑfĐ°Đ^{3/4}Đ² Đ,
Đ°Đ°Ñ·ĐµÑ·Ñ·ÑfĐ°Ñ€Đ^{3/4}Đ²

ĐžÑ~Đ,Đ±Đ°Đ°: Failed to parse the Currency Converter XML document.

Packard Bell Easynote LJ71Â Đ^{1/2}Đ^{3/4}Đ²Đ,Đ^{1/2}Đ°Đ°

\$49 372.14

Đ¢Đ,Đ¿

Đ¢Đ,Đ¿

Đ^{1/2}Đ^{3/4}ÑfÑ,Đ±ÑfĐ°

Đ£Ñ·Ñ,Đ°Đ^{1/2}Đ^{3/4}Đ²Đ»ĐµĐ^{1/2}Đ^{1/2}Đ°Ñ·

Win 7 Home Premium

Đ^{3/4}Đ¿ĐµÑ€Đ°Ñ†Đ,Đ^{3/4}Đ^{1/2}Đ^{1/2}Đ°Ñ·Ñ·Đ,Ñ·Ñ,ĐµĐ^{1/4}Đ°

ĐŸÑ€Đ^{3/4}Ñ†ĐµÑ·Ñ·Đ^{3/4}Ñ€

Đ¢Đ,Đ¿ Đ¿Ñ€Đ^{3/4}Ñ†ĐµÑ·Ñ·Đ^{3/4}Ñ€Đ°

Athlon II / Turion II

ĐšĐ^{3/4}Đ´ Đ¿Ñ€Đ^{3/4}Ñ†ĐµÑ·Ñ·Đ^{3/4}Ñ€Đ°

M320 / M500 / M300

ĐšĐ°Ñ·Ñ,Đ^{3/4}Ñ,Đ° Đ¿Ñ€Đ^{3/4}Ñ†ĐµÑ·Ñ·Đ^{3/4}Ñ€Đ°

2000...2200Â ĐœĐ°Ñ†

ĐšĐ^{3/4}Đ»Đ,Ñ†ĐµÑ·Ñ·Đ²Đ^{3/4}Ñ·Đ´ĐµÑ€

2

Đ¿Ñ€Đ^{3/4}Ñ†ĐµÑ·Ñ·Đ^{3/4}Ñ€Đ°

ĐžĐ±ÑšĐµĐ^{1/4} Đ°Ñ·Ñ~Đ° L2

/ 1 ĐœĐ±

ĐŸĐ°Đ^{1/4}Ñ·Ñ,Ñ€

Đ Đ°Đ·Đ^{1/4}ĐµÑ€ Đ^{3/4}Đ¿ĐµÑ€Đ°Ñ,Đ,Đ²Đ^{1/2}Đ^{3/4}Đ¹

3072...4096Â ĐœĐ±

Đ¿Đ°Đ^{1/4}Ñ·Ñ,Đ,

Đ¢Đ,Đ¿ Đ¿Đ°Đ^{1/4}Ñ·Ñ,Đ,

DDR2

ƉˆƉ½Ñ, ƉµÑ€Ñ, ƉµƉ¹Ñ• FireWire 800	Ɖ½ƉµÑ,
ƉˆƉ½Ñ, ƉµÑ€Ñ, ƉµƉ¹Ñ• eSATA	Ɖ½ƉµÑ,
ƉˆƉ½Ñ, Ñ€Ɖ°Ɖ°Ñ€Ɖ°Ñ• Ɖ½Ñ, Ɖ¹ Ɖ¿Ɖ¾Ñ€Ñ, (IRDA)	Ɖ½ƉµÑ,
ƉˆƉ½Ñ, ƉµÑ€Ñ, ƉµƉ¹Ñ• LPT	Ɖ½ƉµÑ,
COM-Ɖ¿Ɖ¾Ñ€Ñ,	Ɖ½ƉµÑ,
ƉˆƉ½Ñ, ƉµÑ€Ñ, ƉµƉ¹Ñ• PS/2	Ɖ½ƉµÑ,
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ VGA (D-Sub)	ƉµÑ•Ñ, Ñ€
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ DVI	Ɖ½ƉµÑ,
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ HDMI	ƉµÑ•Ñ, Ñ€
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ DisplayPort	Ɖ½ƉµÑ,
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ Mini DisplayPort	Ɖ½ƉµÑ,
ƉˆƉ½Ñ, ƉµÑ€Ñ, ƉµƉ¹Ñ• Thunderbolt	Ɖ½ƉµÑ,
Ɖ'Ñ...Ɖ¾Ɖ´ TV-in	Ɖ½ƉµÑ,
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ TV-out	Ɖ½ƉµÑ,
ƉŸƉ¾Ɖ´Ɖ°Ɖ»ÑŹÑ‡ƉµƉ½Ɖ, Ɖµ Ɖ°	Ɖ½ƉµÑ,
Ɖ´Ɖ¾Ɖ°-Ñ•Ñ, Ɖ°Ɖ½Ñ‡Ɖ, Ɖ,	Ɖ½ƉµÑ,
Ɖ'Ñ...Ɖ¾Ɖ´ Ɖ°ÑƒƉ´Ɖ, Ɖ¾	Ɖ½ƉµÑ,
Ɖ'Ñ...Ɖ¾Ɖ´ Ɖ¼Ɖ, Ɖ°Ñ€Ɖ¾Ñ, Ɖ¾Ɖ½Ɖ½Ñ<Ɖ¹	ƉµÑ•Ñ, Ñ€
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ Ɖ°ÑƒƉ´Ɖ, Ɖ¾/Ɖ½Ɖ°ÑƒÑˆƉ½Ɖ, Ɖ°Ɖ,	ƉµÑ•Ñ, Ñ€
Ɖ'Ñ<Ñ...Ɖ¾Ɖ´ Ɖ°ÑƒƉ´Ɖ, Ɖ¾ Ñ‡Ɖ, Ñ, Ñ€Ɖ¾Ɖ²Ɖ¾Ɖ¹ (S/PDIF)	Ɖ½ƉµÑ,
Ɖ¿Ñ•Ñ, Ñ€Ɖ¾Ɖ¹Ñ•Ñ, Ɖ²Ɖ° Ñ...Ñ€Ɖ°Ɖ½ƉµƉ½Ɖ, Ñ• Ɖ´Ɖ°Ɖ½Ɖ½Ñ<Ñ...	Ɖ½ƉµÑ,
Ɖ Ɖ°Ɖ-Ɖ¼ƉµÑ%ƉµƉ½Ɖ, Ɖµ Ɖ¾Ɖ¿Ñ, Ɖ, Ñ‡ƉµÑ•Ɖ°Ɖ¾Ɖ¾Ɖ¾	Ɖ²Ɖ½ÑƒÑ, Ñ€ƉµƉ½Ɖ½Ɖ, Ɖ¹
Ɖ¿Ñ€Ɖ, Ɖ²Ɖ¾Ɖ´Ɖ°	
ƉžƉ¿Ñ, Ɖ, Ñ‡ƉµÑ•Ɖ°Ɖ, Ɖ¹ Ɖ¿Ñ€Ɖ, Ɖ²Ɖ¾Ɖ´	DVD-RW
Ɖ Ɖ°Ɖ-Ɖ¼ƉµÑ€ Ɖ¶ƉµÑ•Ñ, Ɖ°Ɖ¾Ɖ¾Ɖ¾ Ɖ´Ɖ, Ñ•Ɖ°Ɖ°	320...1000Å Ɖ“Ɖ±
Ɖ”Ɖ²Ɖ° Ɖ¶ƉµÑ•Ñ, Ɖ°Ɖ, Ñ... Ɖ´Ɖ, Ñ•Ɖ°Ɖ°	Ɖ½ƉµÑ,
Ɖ¿Ɖ²ƉµÑ€Ɖ¾Ɖ¾Ñ, ƉµƉ»Ñ€Ɖ½Ñ<Ɖ¹ Ɖ´Ɖ, Ñ•Ɖ° (SSD)	Ɖ½ƉµÑ,
Ɖ¡Ɖ°Ɖ¾Ñ€Ɖ¾Ñ•Ñ, Ñ€ Ɖ²Ñ€Ɖ°Ñ%ƉµƉ½Ɖ, Ñ•	5400 Ɖ¾Ɖ±/Ɖ¼Ɖ, Ɖ½
Ɖ¶ƉµÑ•Ñ, Ɖ°Ɖ¾Ɖ¾Ɖ¾ Ɖ´Ɖ, Ñ•Ɖ°Ɖ°	
Ɖ¿Ñ•Ñ, Ñ€Ɖ¾Ɖ¹Ñ•Ñ, Ɖ²Ɖ° Ɖ²Ɖ²Ɖ¾Ɖ´Ɖ°	
Ɖ¿Ñ•Ñ, Ñ€Ɖ¾Ɖ¹Ñ•Ñ, Ɖ²Ɖ°	
Ɖ¿Ɖ¾Ɖ-Ɖ, Ñ‡Ɖ, Ɖ¾Ɖ½Ɖ, Ñ€Ɖ¾Ɖ²Ɖ°Ɖ½Ɖ, Ñ•	Touchpad
ƉŸƉ¾Ɖ´Ñ•Ɖ²ƉµÑ, Ɖ°Ɖ° Ɖ°Ɖ»Ɖ°Ɖ²Ɖ, Ɖ°Ñ, ÑƒÑ€Ñ<	Ɖ½ƉµÑ,
Ɖ—Ɖ²ÑƒƉ°	
Ɖ•Ɖ°Ɖ»Ɖ, Ñ‡Ɖ, Ɖµ Ɖ°Ɖ¾Ɖ»Ɖ¾Ɖ½Ɖ¾Ɖ°	ƉµÑ•Ñ, Ñ€
Ɖ•Ɖ°Ɖ»Ɖ, Ñ‡Ɖ, Ɖµ Ñ•Ɖ°Ɖ±Ɖ²ÑƒÑ, ƉµÑ€Ɖ°	Ɖ½ƉµÑ,
Ɖ•Ɖ°Ɖ»Ɖ, Ñ‡Ɖ, Ɖµ Ɖ¼Ɖ, Ɖ°Ñ€Ɖ¾Ñ, Ɖ¾Ɖ½Ɖ°	ƉµÑ•Ñ, Ñ€
Ɖ”Ɖ¾Ɖ¿Ɖ¾Ɖ»Ɖ½Ɖ, Ñ, ƉµƉ»Ñ€Ɖ½Ɖ¾	Ɖ½ƉµÑ,
GPS-Ɖ¿Ñ€Ɖ, ƉµƉ¼Ɖ½Ɖ, Ɖ°	ƉµÑ•Ñ, Ñ€
Ɖ´ƉµƉ±-Ɖ°Ɖ°Ɖ¼ƉµÑ€Ɖ°	
ƉšƉ¾Ɖ»Ɖ, Ñ‡ƉµÑ•Ñ, Ɖ²Ɖ¾Ɖ¿Ɖ, Ɖ¿Ɖ, Ɖ°Ñ•ƉµƉ»Ɖ¾Ɖ²	1.3Å Ɖ¼Ɖ»Ɖ½ Ɖ¿Ɖ, Ɖ°Ñ•.
Ɖ²ƉµƉ±-Ɖ°Ɖ°Ɖ¼ƉµÑ€Ñ<	
Ɖ¡Ɖ°Ɖ°Ɖ½ƉµÑ€ Ɖ¾Ñ, Ɖ¿ƉµÑ‡Ɖ°Ñ, Ɖ°Ɖ° Ɖ¿Ɖ°Ɖ»Ñ€Ñ‡Ɖ°	Ɖ½ƉµÑ,
Ɖ¿Ɖ´-Ñ, ÑžƉ½ƉµÑ€	Ɖ½ƉµÑ,
ƉŸÑƒƉ»Ñ€Ñ, Ɖ”Ɖ¿	Ɖ½ƉµÑ,
ƉœƉµÑ, Ɖ°Ɖ»Ɖ»Ɖ, Ñ‡ƉµÑ•Ɖ°Ɖ, Ɖ¹ Ɖ°Ɖ¾Ñ€Ɖ¿ÑƒÑ•	Ɖ½ƉµÑ,
Ɖ¿Ɖ´Ɖ°Ñ€Ɖ¾Ɖ¿Ñ€Ɖ¾Ñ‡Ɖ½Ñ<Ɖ¹ Ɖ°Ɖ¾Ñ€Ɖ¿ÑƒÑ•	Ɖ½ƉµÑ,
Ɖ´Ɖ»Ɖ°Ɖ¾Ɖ¾Ɖ-Ɖ°Ñ%Ɖ, Ñ%ƉµƉ½Ɖ½Ñ<Ɖ¹ Ɖ°Ɖ¾Ñ€Ɖ¿ÑƒÑ•	Ɖ½ƉµÑ,

Đ_iĐ»Đ^{3/4}Ñ, Đ±Đ»Đ^{3/4}Đ°Đ, Ñ∈Đ^{3/4}Đ²Đ°Đ,
Đ"Đ»Đ_ĐĐ^{1/2}Đ°
Đ°Đ, Ñ∈Đ_ĐĐ^{1/2}Đ°
ĐĐĐ^{3/4}Đ»Ñ%Đ_ĐĐ^{1/2}Đ°
Đ'ĐμÑ•

Đ"Đ^{3/4}Đ_ĐĐ^{3/4}Đ»Đ^{1/2}Đ_ĐÑ, ĐμĐ»ÑCEĐ^{1/2}Đ°Ñ•
Đ_ĐĐ^{1/2}Ñ,,Đ^{3/4}Ñ∈Đ^{1/4}Đ°Ñ†Đ_ĐÑ•

Đ^{1/2}ĐμÑ,
412Å Đ^{1/4}Đ^{1/4}
280Å Đ^{1/4}Đ^{1/4}
38.6Å Đ^{1/4}Đ^{1/4}
3.3Å Đ°Đ³
Ñ•ÑfÑ%ĐμÑ•Ñ,Đ²ÑfĐμÑ,
Đ^{1/4}Đ^{3/4}Đ'Đ_ĐÑ,,Đ_ĐĐ°Đ°Ñ†Đ_ĐÑ•Ñ• ATI Mobility
Radeon HD 4650

[Đ°Đ^{1/2}Ñ,,Đ^{3/4}Ñ∈Đ^{1/4}Đ°Ñ†Đ_ĐÑ•Đ^{3/4}Đ_ĐÑ∈Đ^{3/4}Đ'Đ°Đ²Ñ†Đμ](#)

ĐceĐ^{1/2}ĐμĐ^{1/2}Đ_ĐÑ•Đ_ĐĐ^{3/4}Đ°ÑfĐ_ĐĐ°Ñ,ĐμĐ»ĐμĐ¹: Đ•Ñ%Đμ Đ^{1/2}ĐμÑ, Đ^{1/4}Đ^{1/2}ĐμĐ^{1/2}Đ_ĐĐ¹ Đ^{3/4}Đ±Ñ•Ñ,Đ^{3/4}Đ^{1/4}Ñ,Đ^{3/4}Đ²Đ°Ñ∈Đμ.
ĐŸĐ^{3/4}Đ¶Đ°Đ»ÑfĐ¹Ñ•Ñ,Đ°, Đ²Đ^{3/4}Đ¹Đ'Đ_ĐÑ,Đμ, Ñ†Ñ,Đ^{3/4}Đ±Ñ<Đ^{3/4}Ñ•Ñ,Đ°Đ²Đ_ĐÑ,ÑCEÑ•Đ²Đ^{3/4}Đμ
Đ^{1/4}Đ^{1/2}ĐμĐ^{1/2}Đ_ĐĐμ.